

Content available at: <https://www.ipinnovative.com/open-access-journals>

IP Annals of Prosthodontics and Restorative Dentistry

Journal homepage: <https://www.aprd.in/>

## Original Research Article

## The titanium triumph: Exploring the transformative world of dental implants

Akula Sai Rohith<sup>1\*</sup>, Prachi Gupta<sup>2</sup>, Alcina Fernandes<sup>3</sup>, Furkhan Ahmed Khan<sup>4</sup>, Anvika Ashok<sup>5</sup>, Sheetal Vijaya<sup>6</sup><sup>1</sup>Dept. of Prosthodontics, Crown and Bridge, Tirumala Institute of Dental Sciences and Research Centre, Nizamabad, Telangana, India<sup>2</sup>Dept. of Periodontology and Oral Implantology, Luxmi Bai Institute of Dental Sciences and Hospital, Patiala, Punjab, India<sup>3</sup>Dept. of Prosthodontics, Crown and Bridge, Goa Dental College and Hospital, Bambolim, Goa, India<sup>4</sup>Dept. of Implantology, Clove Dental, Hyderabad, Telangana, India<sup>5</sup>Dept. of Oral and Maxillofacial Surgery, Srinivas Institute of Dental Sciences, Mangalore, Karnataka, India<sup>6</sup>Dept. of Prosthodontics, Crown and Bridge, Srinivas Institute of Dental Sciences, Mangalore, Karnataka, India

## ARTICLE INFO

## Article history:

Received 15-03-2024

Accepted 18-04-2024

Available online 15-05-2024

## Keywords:

Dental implants

Titanium

Osseointegration

Endosseous implants

Subperiosteal implants

Transosseous implants

## ABSTRACT

**Background/Introduction:** Dental implants have revolutionized tooth replacement by offering a permanent and lifelike solution. Titanium, due to its exceptional biocompatibility and mechanical properties, has emerged as the material of choice for dental implants. Dr. Per-Ingvar Brånemark's discovery of osseointegration in the 1960s paved the way for the widespread adoption of titanium implants, marking a paradigm shift in dental prosthetics.

**Aim/Objective:** The aim of this article is to explore the transformative role of titanium in dental implantology, focusing on its properties, evolution, types, advancements, clinical considerations, challenges, and future directions.

**Materials and Methods:** This review synthesizes literature on the properties of titanium, the evolution of dental implants, types of titanium implants (endosseous, subperiosteal, transosseous), advancements in implant design and technology, clinical considerations, patient outcomes, challenges, and future directions.

**Results:** Titanium exhibits outstanding biocompatibility, mechanical strength, and corrosion resistance, making it ideal for dental implants. Endosseous implants, the most common type, mimic natural tooth roots and undergo osseointegration for stability. Subperiosteal implants rest on the jawbone surface, while transosseous implants penetrate through the bone. Advancements in implant design and technology have improved outcomes, but challenges such as peri-implantitis persist.

**Conclusion:** Titanium implants have transformed dental care, offering patients reliable and durable solutions for tooth loss. Despite challenges, ongoing research and technological innovations hold promise for further enhancing implant therapy. The future of dental implants is bright, with continued advancements poised to improve patient outcomes and quality of life.

This is an Open Access (OA) journal, and articles are distributed under the terms of the [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License](https://creativecommons.org/licenses/by/4.0/), which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: [reprint@ipinnovative.com](mailto:reprint@ipinnovative.com)

## 1. Introduction

In recent decades, dental implants have fundamentally transformed the landscape of dental care by providing a

revolutionary solution for tooth loss. Unlike traditional bridges or dentures, which offer temporary fixes, dental implants offer a permanent and lifelike replacement for missing teeth. This transformative approach not only restores oral function but also preserves bone structure and prevents the deterioration of surrounding teeth, thereby

\* Corresponding author.

E-mail address: [rohith4sai@gmail.com](mailto:rohith4sai@gmail.com) (A. S. Rohith).

promoting long-term oral health.<sup>1</sup>

Among the plethora of materials explored for dental implants, titanium has emerged as the material of choice for several compelling reasons. First and foremost is its exceptional biocompatibility, which refers to the ability of a material to integrate seamlessly with biological tissues without triggering adverse reactions. Titanium's inert nature and the formation of a stable oxide layer on its surface make it well-tolerated by the body, minimizing the risk of inflammation, infection, or rejection. This biocompatibility is crucial for ensuring the success and longevity of dental implants, as it allows for robust osseointegration—the process by which the implant fuses with the jawbone, providing a secure foundation for prosthetic teeth.<sup>2,3</sup>

Moreover, titanium possesses remarkable mechanical properties that make it ideally suited for dental implant applications. Its high strength-to-weight ratio, coupled with excellent corrosion resistance, ensures the durability and longevity of implants in the demanding oral environment. Titanium implants can withstand the forces exerted during chewing and speaking without compromising their structural integrity, offering patients a reliable and long-lasting solution for tooth replacement.<sup>4</sup>

## 2. Materials and Methods

This review synthesizes literature on the properties of titanium, the evolution of dental implants, types of titanium implants (endosseous, subperiosteal, transosseous), advancements in implant design and technology, clinical considerations, patient outcomes, challenges, and future directions.

The evolution of dental implants spans millennia, with evidence of early attempts at tooth replacement dating back to ancient civilizations such as the Egyptians, Romans, and Mayans. Archaeological discoveries have unearthed rudimentary forms of dental implants made from materials like seashells, ivory, and even precious metals. These ancient implants, although crude by modern standards, reflect humanity's enduring quest for solutions to tooth loss and dental restoration.<sup>5</sup>

However, it wasn't until the 20th century that significant advancements were made in implantology, paving the way for the sophisticated techniques and materials used in contemporary dental implant procedures. One of the most pivotal moments in this journey occurred in the 1960s with the groundbreaking work of Swedish orthopedic surgeon Dr. Per-Ingvar Brånemark. While conducting research on blood flow in rabbit bones using titanium chambers, Dr. Brånemark made a serendipitous discovery – the titanium chambers had fused irreversibly with the bone tissue, a phenomenon he termed "osseointegration."<sup>6</sup>

This serendipitous discovery marked a paradigm shift in dental prosthetics. Dr. Brånemark realized the potential of titanium as a material for dental implants due to

its remarkable biocompatibility and ability to integrate seamlessly with the jawbone. In 1965, he placed the first titanium dental implant in a human volunteer, laying the foundation for modern implant dentistry.<sup>7</sup>

The integration of titanium implants revolutionized dental care by offering a reliable and long-lasting solution for tooth loss. Unlike earlier attempts using materials that often led to rejection or failure, titanium implants demonstrated unprecedented success rates and durability. The concept of osseointegration introduced by Dr. Brånemark became the cornerstone of implant dentistry, providing a biological basis for the stability and longevity of dental implants.<sup>8–11</sup>

Since Dr. Brånemark's pioneering work, dental implant technology has continued to evolve rapidly. Advances in materials science, implant design, and surgical techniques have further enhanced the success and predictability of implant procedures. Today, titanium remains the material of choice for dental implants, with its superior biocompatibility, mechanical properties, and proven track record of clinical success.

## 3. Results

Titanium's properties make it an exceptional material for dental implants, offering a combination of features that are crucial for the success and durability of implant procedures.

First and foremost, titanium is renowned for its outstanding biocompatibility. Biocompatibility refers to the ability of a material to interact harmoniously with biological systems without triggering adverse reactions. In the context of dental implants, titanium's biocompatibility means that it is well-tolerated by the body, with minimal risk of causing inflammation, allergic responses, or rejection. This is paramount for ensuring the long-term stability and integration of the implant within the oral environment. Patients undergoing dental implant procedures can have confidence in the compatibility of titanium with their bodies, leading to predictable outcomes and reduced post-operative complications.<sup>12,13</sup>

Furthermore, titanium possesses a high strength-to-weight ratio, making it exceptionally strong while remaining lightweight. This mechanical property is crucial for dental implants, as they must withstand the considerable forces exerted during chewing and biting without fracturing or deforming. Titanium's strength ensures the structural integrity of the implant, providing stability and support for the prosthetic tooth or restoration mounted onto it. Patients can enjoy restored oral function and confidence in the durability of their dental implants, even under the rigors of daily use.<sup>14</sup>

Additionally, titanium exhibits remarkable corrosion resistance, particularly in the highly acidic and corrosive environment of the oral cavity. Unlike some other metals that may degrade or corrode over time when exposed to

saliva and food particles, titanium maintains its integrity and stability, ensuring the longevity of the implant. Corrosion resistance is essential for preventing degradation of the implant surface, which could compromise osseointegration and lead to implant failure. With titanium implants, patients can expect reliable performance and longevity, with minimal risk of deterioration or degradation over time.<sup>15</sup>

#### 4. Discussion

The success of dental implants hinges on osseointegration, the process by which the implant fuses with the surrounding bone tissue. Titanium's unique affinity for bone allows for robust osseointegration, ensuring the stability and functionality of the implant. This phenomenon has been extensively studied and continues to be a focal point of research in implant dentistry.<sup>16</sup>

##### 4.1. Types of titanium implants

Titanium's versatility as a material has led to the development of various types of dental implants, each tailored to address specific clinical situations and patient needs. Understanding the different types of titanium implants is crucial for dental professionals to select the most suitable option for individual cases. Here, we delve into the details of three commonly used designs: endosseous implants, subperiosteal implants, and transosseous implants.

##### 4.2. Endosseous implants

Endosseous implants, also known as root-form implants, are the most widely used type of dental implants. These implants mimic the root structure of natural teeth and are typically inserted directly into the jawbone (osseous tissue). Endosseous implants consist of a titanium screw or cylinder that serves as the implant body, which is surgically placed into a prepared socket in the jawbone. Once inserted, the implant undergoes a process called osseointegration, during which the surrounding bone tissue fuses with the implant surface, providing a stable foundation for the prosthetic tooth or teeth.

Endosseous implants come in various shapes and sizes to accommodate different anatomical considerations and treatment objectives. They are suitable for patients with sufficient bone volume and density to support implant placement. Endosseous implants are commonly used for single-tooth replacement, multiple-tooth restorations, and implant-supported fixed or removable dentures. Their versatility, high success rates, and long-term predictability make endosseous implants a preferred choice for many patients seeking tooth replacement solutions.<sup>17,18</sup>

##### 4.3. Subperiosteal implants

Subperiosteal implants are an alternative option for patients who have insufficient bone volume or density to support endosseous implants. Unlike endosseous implants, which are placed directly into the jawbone, subperiosteal implants rest on top of the jawbone beneath the periosteum, the protective membrane covering the bone. These implants consist of a metal framework (typically made of titanium) that is custom-designed to fit the contours of the patient's jawbone.

During the placement procedure, the subperiosteal implant framework is positioned beneath the periosteum, directly on the jawbone surface. Over time, the implant becomes integrated with the underlying bone tissue, providing stability and support for the prosthetic teeth attached to it. Subperiosteal implants are suitable for patients with severe bone resorption or anatomical limitations that preclude the use of traditional endosseous implants. They are often used in cases where bone augmentation procedures are not feasible or desired.<sup>19,20</sup>

##### 4.4. Transosseous implants

Transosseous implants, also known as blade implants, are a less common type of dental implant that is typically used in specialized situations. Unlike endosseous implants, which are inserted into the jawbone, transosseous implants penetrate through the jawbone and emerge on both sides of the jaw, anchoring the prosthesis in place. Transosseous implants consist of one or more metal blades or pins made of titanium, which are surgically secured into the jawbone through a process called osteotomy.

Transosseous implants are primarily used in cases where conventional implant placement is not feasible due to inadequate bone volume or density. They are often employed in patients with severe atrophy or resorption of the jawbone, as well as those who have undergone extensive trauma or surgical resections. While transosseous implants offer a viable solution for select patients, they require careful patient selection and surgical expertise due to their specialized nature.<sup>21</sup>

The versatility of titanium enables the fabrication of various types of dental implants to address diverse clinical scenarios and patient needs. Endosseous implants, subperiosteal implants, and transosseous implants each offer distinct advantages and considerations depending on factors such as bone quality, anatomical constraints, and treatment objectives. By understanding the characteristics and applications of these different implant designs, dental professionals can provide patients with tailored solutions for achieving optimal oral health and function.<sup>22</sup>

#### 4.5. Advancements in implant design and technology

Continual advancements in materials science and manufacturing techniques have propelled the evolution of implant design and technology. Innovations such as surface modifications to enhance osseointegration, computer-aided design and manufacturing (CAD/CAM) for precision implant placement, and the development of biomimetic coatings have further improved implant outcomes and patient satisfaction.<sup>23</sup>

#### 4.6. Clinical considerations and patient outcomes

Successful implant therapy requires careful patient selection, comprehensive treatment planning, and meticulous surgical technique. Factors such as bone quality and quantity, systemic health, and aesthetic considerations play pivotal roles in achieving optimal outcomes. Long-term studies have demonstrated the high success rates and durability of titanium implants, reaffirming their status as the gold standard in modern implant dentistry.<sup>24</sup>

#### 4.7. Challenges and future directions

While titanium implants have revolutionized dental care, challenges persist, including peri-implantitis, bone resorption, and implant failure. Ongoing research endeavors aim to address these challenges through innovations in biomaterials, implant coatings, and regenerative therapies. Additionally, the advent of digital dentistry and personalized medicine holds promise for further enhancing the precision and efficacy of implant treatment.

### 5. Conclusion

"The Titanium Triumph: Exploring the Transformative World of Dental Implants" underscores the pivotal role of titanium in revolutionizing dental implantology. From its inception to the present day, titanium implants have provided patients with a reliable, functional, and aesthetically pleasing solution for tooth loss. As research and technology continue to advance, the future of dental implants appears brighter than ever, promising enhanced outcomes and improved quality of life for patients worldwide.

### 6. Source of Funding

None.

### 7. Conflict of Interest

None.

### References

- Gbadebo OS, Lawal FB, Sulaiman AO, Ajayi DM. Dental implant as an option for tooth replacement: The awareness of patients at a tertiary hospital in a developing country. *Contemp Clin Dent*. 2014;5(3):302–6.
- Shigli K, Hebbal M, Angadi GS. Attitudes towards replacement of teeth among patients at the Institute of Dental Sciences, Belgaum, India. *J Dent Educ*. 2007;71(11):1467–75.
- Nallaswamy VD, Karthikeyan R, Vinaya B. Textbook of Prosthodontics. New Delhi, India: Jaypee Brothers Medical Publishing Lt; 2003. p. 720–30.
- Hoque ME, Showva NN, Ahmed M, Rashid AB, Sadique SE, El-Bialy T, et al. Titanium and titanium alloys in dentistry: current trends, recent developments, and future prospects. *Heliyon*. 2022;8(11):e11300. doi:10.1016/j.heliyon.2022.e11300.
- Abraham CM. A brief historical perspective on dental implants, their surface coatings and treatments. *Open Dent J*. 2014;8:50–5. doi:10.2174/1874210601408010050.
- Linkow LI. The radiographic role in endosseous implant interventions. *Chronicle*. 1966;29(10):304–11.
- Nicholson JW. Titanium Alloys for Dental Implants: A Review. *Prosthesis*. 2020;2(2):100–16.
- Silva RCS, Agrelli A, Andrade AN, Mendes-Marques CL, Arruda IRS, Santos LRL, et al. Titanium Dental Implants: An Overview of Applied Nanobiotechnology to Improve Biocompatibility and Prevent Infections. *Materials (Basel)*. 2022;15(9):3150. doi:10.3390/ma15093150.
- Kurup A, Dhatrak P, Khasnis N. Surface modification techniques of titanium and titanium alloys for biomedical dental applications: A review. *Mater Today Proc*. 2021;39(1):84–90.
- Lee DJ, Saponaro PC. Management of Edentulous Patients. *Dent Clin North Am*. 2019;63(2):249–61.
- Wu H, Chen X, Kong L, Liu P. Mechanical and Biological Properties of Titanium and Its Alloys for Oral Implant with Preparation Techniques: A Review. *Materials*. 2023;16(21):6860–6860. doi:10.3390/ma16216860.
- Anonymous. Dental Implants and Prosthetics Global Market Report. Hyderabad, India: The Business Research Company; 2023.
- Suryanarayana C, Froes FH. Mechanical alloying of titanium-base alloys. *Adv Mater*. 1993;5(2):96–106.
- Saini RS, Mosaddad SA, Heboyan A. Application of density functional theory for evaluating the mechanical properties and structural stability of dental implant materials. *BMC Oral Health*. 2023;23:958. doi:10.1186/s12903-023-03691-8.
- Ananth H, Kundapur V, Mohammed HS, Anand M, Amarnath GS, Mankar S, et al. A Review on Biomaterials in Dental Implantology. *Int J Biomed Sci*. 2015;11(3):113–20.
- Parithimarkalaignan S, Padmanabhan TV. Osseointegration: An Update. *J Indian Prosthodont Soc*. 2013;13(1):2–6.
- Gaviria L, Salcido JP, Guda T, Ong JL. Current trends in dental implants. *J Korean Assoc Oral Maxillofac Surg*. 2014;40(2):50–60.
- Park CY, Kim SG, Kim MD, Eom TG, Yoon JH, Ahn SG, et al. Surface properties of endosseous dental implants after NdYAG and CO2 laser treatment at various energies. *J Oral Maxillofac Surg*. 2005;63(10):1522–7.
- Ângelo DF, Ferreira JRV. The Role of Custom-made Subperiosteal Implants for Rehabilitation of Atrophic Jaws - A Case Report. *Ann Maxillofac Surg*. 2020;10(2):507–11.
- Kurtzman GM, Schwartz K. The subperiosteal implant as a viable long-term treatment modality in the severely atrophied mandible: a patient's 40-year case history. *J Oral Implantol*. 1995;21(1):35–9.
- Huang YC, Huang YC, Ding SJ. Primary stability of implant placement and loading related to dental implant materials and designs: A literature review. *J Dent Sci*. 2023;18(4):1467–76.
- Ackermann R. Transosseous implants. *Rev Odontimplantol*. 1968;13:39–40.
- Zhu G, Wang G, Li JJ. Advances in implant surface modifications to improve osseointegration. *Mater Adv*. 2021;21. doi:10.1039/D1MA00675D.
- Chatterjee E, Nasha A, Mustafa M, Chinthalapudi SL, Padavala S, Lakshmpuram AK, et al. The Impact of Implant Angulation on the Stress Distribution and Survival Rate of Implant-Supported

Fixed Dental Prosthesis: A Retrospective Study. *Cureus*. 2023;15(10):e47892. doi:10.7759/cureus.47892.

**Furkhan Ahmed Khan**, Consultant Implantologist and Prosthodontist

**Anvika Ashok**, Assistant Professor

**Sheetal Vijaya**, Assistant Professor

### Author biography

**Akula Sai Rohith**, Assistant Professor

**Prachi Gupta**, Reader

**Alcina Fernandes**, Post Graduate Student

**Cite this article:** Rohith AS, Gupta P, Fernandes A, Khan FA, Ashok A, Vijaya S. The titanium triumph: Exploring the transformative world of dental implants. *IP Ann Prosthodont Restor Dent* 2024;10(2):124-128.